

ЧQ ge <u>o</u> E BORDE κ× MAP; _9804\Sav AINAGE I DR/ ם צ C gi \app 092 SITE PLAN; .MO X-r E g

LEGEND

EXISTING SPOT GRADE

- PROPOSED DRAINAGE FLOW \implies PROPOSED CATCH BASIN
- PROPOSED CURB INLET
- PROPOSED DRAINAGE MANHOLE
- PROPOSED SPOT GRADE/CURB ELEV. PROPOSED BUILDING
 - PROPOSED INLET PROTECTION
- PROPOSED MAJOR CONTOUR PROPOSED MINOR CONTOUR
- PROPOSED SILT FENCE
- PROPOSED DRAINAGE -----
 - PROPOSED CURB
- PROPOSED WATER SERVICE
- PROPOSED SEWER LATERAL

PLANT MATERIALS LIST			
I.D.	SHRUBS & TREES	Size	Qua
	Inkberry Holly (Ilex glabra)	3 Gal. Container	
WB	Winterberry (llex verticillata)	3 Gal. Container	
	American Arborvitae (Thuja occidentalis)	6-12" BARE ROOT, 3' SPACING	1
NOTES:			

PLANTINGS ARE TO BE MAINTAINED AND REPLACED AS NECESSARY BY THE OWNER/APPLICANT.

- BRICK BUILDING (914 S.F. FOOTPRINT) \square CONC WALK CONC CURB 02 $\langle \Omega \rangle$ W P.O.B. NOTES:
 - 1. SITE PLAN GPS COORDINATES FOR THE DRIVEWAY CENTERLINE AT ITS JUNCTION WITH THE STATE HIGHWAY: NAD83 NEW YORK STATE PLANES, EAST ZONE, US FOOT

ENTRANCE (SOUTH)

EXIT (NORTH)

NORTHING: 4570243.212 EASTING: 601947.818 NORTHING: 4570265.415 EASTING: 601947.506

- 2. ALL EXCAVATED MATERIAL SHALL BE REMOVED FROM THE SITE UNLESS A NEW GRADING PLAN IS SUBMITTED AND APPROVED BY THE TOWN ENGINEER.
- 3. A TRANSFER SWITCH WITH APPROPRIATE CONNECTIONS WILL BE PROVIDED ON THE EXTERIOR OF THE PROPOSED BUILDING TO ALLOW A TRAILER MOUNTED EMERGENCY GENERATOR TO POWER THE ENTIRE SITE DURING AN EXTENDED POWER OUTAGE.

SEWER PROTECTION NOTES: THE EXISTING SEWER LINE SHALL BE INSPECTED WITH A PIPE LINE CAMERA BY TOWN STAFF PRIOR TO AND AFTER

6"Ø SDR-35

15" RCP

- COMPLETION OF CONSTRUCTION. 2. THE EXISTING SEWER LINE SHALL NOT BE EXPOSED DURING BUILDING FOUNDATION
- CONSTRUCTION. NO EQUIPMENT SHALL BE POSITIONED ON THE EXISTING SEWER MANHOLE.
- 4. HAND EXCAVATE WITHIN 5 FEET OF THE EXISTING MANHOLE.

